


ELITE Nero Open Out Pantry for 450mm or 600mm Cabinet

ELITEOOP2-N450VH-1396 / ELITEOOP2-N600VH-1397

ELITE[®]
STORAGE SOLUTIONS



Features

- Dark grey basket style
- Aluminium with MDF wooden basket
- Anti-slip mats on each basket
- Soft close runners
- Universal fitting allows left and right swing installation
- Two widths to suit standard cabinet widths: 450mm and 600mm
- Overall Frame height of 1680mm (Min. internal cabinet height of 1700mm)
- Adjustable shelf positions
- 54kg total payload (Each basket can bear 9kg weight)
- Split storage - front and rear shelves - Rear shelves slide forward





Notes

Shelf style in diagram may differ from your model

This tandem pantry unit only suits cabinets that use standard 110° hinges. Maximum opening angle of cabinet hinge is 110°

The illustrations are for installation to a right-opening cabinet. For a left-opening cabinet, reverse frame orientation and bracket/accessory placement.

List of key parts

A 1 pc 	B 1 pc 	C 3 pcs 	D 1 pc 	E 1 pc 	G 2 pcs 
		H 17 pcs 	IA 6 pcs IB 6 pcs 	J 3 pcs 	L 1 pc 
		M 2 pcs 	N 1 pc 	O 4 pcs 	P 4 pcs 
				Q 6 pcs 	F 2 pcs 
		Tools needed (not included) 			

ELITE Nero Open Out Pantry for 450mm or 600mm Cabinet


ELITEOOP2-N450VH-1396 / ELITEOOP2-N600VH-1397

ELITE[®]
STORAGE SOLUTIONS

STEP 1

Connect frame A to runner E using screws M.

Affix parts L and P to frame A, and part J to frame B using screws Q.



Note:
The illustrations are for installation to a right-opening cabinet.
For a left-opening cabinet,
reverse frame orientation and
bracket/accessory placement.

Installation of part J should face inwards


ELITE Nero Open Out Pantry for 450mm or 600mm Cabinet

ELITEOOP2-N450VH-1396 / ELITEOOP2-N600VH-1397

ELITE
STORAGE SOLUTIONS

STEP 2

Affix base runner and hardware to the internal cabinet wall and door panel.



Cabinet Width	W	A	B
450	414	169	265
600	564	244	340

ELITE Nero Open Out Pantry for 450mm or 600mm Cabinet


ELITEOOP2-N450VH-1396 / ELITEOOP2-N600VH-1397

ELITE[®]
STORAGE SOLUTIONS

STEP 3

Install assembled frame A onto base runner E with guide wheel L inside guide rail D.

- 2) Install assembled frame B onto cabinet door with affixed brackets F.
- 3) Connect parts J to the parts C affixed onto the cabinet.
- 4) Connect the two hinge arms G to the horizontal brace of frames A and B, using the mounting holes on the frames that are closest to the cabinet door.
- 5) Attach the baskets onto the frames.



Note:
The illustrations are for installation to a right-opening cabinet. For a left-opening cabinet, reverse frame orientation and bracket/accessory placement.